

Product Sheet

# MediaDelayEditor

**AD Inserter – Live Censorship – Delay Player  
Application Module**

**SI MEDIA s.r.l.**

**HeadQuarters:** Via Vostanza, 5 - 31039 Riese Pio X (TV) - Italy

**T** +39 0423 750075 **F** +39.0423 750150 **E** info@si-media.tv

**www.si-media.tv**

 @SIMedia1978

 SI Media

**APAC Branch Office:** 21 Serangoon North Ave 5, #06-04

Ban Teck Han Building, 554864 Singapore

**T** +65 8432 5394

A decorative horizontal bar with a light blue background and a faint molecular structure pattern of grey spheres and lines. The text 'MediaDelayEditor' is centered in a bold black font.

## MediaDelayEditor

It is essentially our solution to manage a live program while it is being ingested. We allow the editor to review the live program incoming, while ingesting and the play out keeps going on air, with the possibility to remove the inappropriate audio, to blur out segments that can't be put on air, or cut not fit to air video and/or audio.

After a certain delay (normally from 5 to 15 minutes, depends on customer's requirements), the edited event is played out live on air.


Cut video time will be offset with fillers and a list of promos available when needed, in order to catch up the timeline.

The entire flow is provided in a compact one box integrated solution, with a software based solution that supports SD and HD operation, pass through and fully integrated into the live broadcast workflow.

**MediaDelayEditor** can also integrate a scheduled regional AD-Insertion to manage the switch from the advertising breaks on the incoming live program to the regional advertising.

## **Key Features:**

- **Intuitive and reliable censoring software with preview video monitoring on incoming live event and live event on-air, with schedulable delay, count down timer and alarm management**
- **Possibility to remove inappropriate audio/video, to blur out or cut segments that can't be put on air**
- **Audio monitoring and Audio replacement with efficient tools to censor audio with mute, beep or audio replacement**
- **Configuration based on a one box solution with AJA Corvid 24 for IN/OUT**
- **Reliable and efficient video replacement from a list of fillers and promos fully integrated in the solution and always available throughout the system**
- **User-friendly interface for the operator with short-cuts, mouse and Jog and Shuttle management**
- **Detailed Reporting of any action done by censorship operators, and full log reports**
- **Scalable solution with the possibility to expand the system with more channels and users without any changing on the configuration**
- **OPTION: regional AD-insertion system scheduled and fully integrated with the automation workflow**



(View of MediaDelayEditor Interface)